



**AGCO**

**TRACTORS**

FILTERS SUB-CATALOGUE



# Table of Contents

Engine Application .....

A

Technical Specification .....

B

# Engine Application

A

# Sakura Filter

# ENGINE APPLICATION









MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
<b>AGCO</b>		<b>AGCO</b>		<b>AGCO</b>	
1614VH (TRACTORS) BRIGGS & STRATTON 14 HP		Oil Filter Full Flow.....	C-5703	9435 (TRACTORS)	
Oil Filter Full Flow.....	C-7606	8745 (TRACTORS) VALMET		Hydraulic Oil Filter.....	H-7916
Oil Filter Full Flow.....	C-6402	Oil Filter Full Flow.....	C-7955	9675 (TRACTORS)	
2020 (TRACTORS) KOHLER 20 HP		8745 (TRACTORS) VALMET VALMET		Hydraulic Oil Filter.....	HC-5508
Oil Filter Full Flow.....	C-7606	Air Filter Secondary.....	A-6705	Oil Filter Combination.....	C-7927
Oil Filter Full Flow.....	C-6402	8765 (TRACTORS) CUMMINS CUMMINS		9670 (TRACTORS)	
4650 (TRACTORS)		Air Filter Secondary.....	A-6705	Oil Filter Full Flow.....	C-6204
Fuel Filter.....	FC-5103	Fuel/Water Separator.....	SFC-5708	9735 (TRACTORS) CUMMINS	
4660 (TRACTORS)		Oil Filter Full Flow.....	C-5703	Fuel Filter Secondary.....	FC-7903
Fuel Filter.....	FC-5103	8765 (TRACTORS) VALMET		Fuel/Water Separator.....	SFC-5706
514H (TRACTORS) KOHLER 12.5 HP		Air Filter Secondary.....	A-6705	Hydraulic Oil Filter.....	H-7916
Oil Filter Full Flow.....	C-1123	Oil Filter Full Flow.....	C-7955	Oil Filter Full Flow.....	C-5704
5670 (TRACTORS)		8765 (TRACTORS) VALMET VALMET		9735 (TRACTORS) CUMMINS CUMMINS	
Fuel Filter.....	FC-5103	Air Filter Secondary.....	A-6705	Fuel Filter Secondary.....	FC-7903
6690 (TRACTORS)		Air Filter Primary.....	A-6703	Fuel/Water Separator.....	SFC-5706
Fuel Filter.....	FC-5103	8775 (TRACTORS) CUMMINS		Hydraulic Oil Filter.....	H-7916
7600 (TRACTORS)		Fuel Filter Secondary.....	FC-7903	9735 (TRACTORS) VALMET	
Fuel Filter.....	FC-5101	Fuel/Water Separator.....	SFC-5706	Hydraulic Oil Filter.....	H-7916
7650 (TRACTORS)		Hydraulic Oil Filter.....	H-7916	Oil Filter Full Flow.....	C-7955
Fuel Filter.....	FC-5101	8775 (TRACTORS) CUMMINS CUMMINS		9735 (TRACTORS) VALMET VALMET	
8425 (TRACTORS) CUMMINS N14		Hydraulic Oil Filter.....	H-7916	Hydraulic Oil Filter.....	H-7916
Air Filter Secondary.....	A-57340	8775 (TRACTORS) CUMMINS CUMMINS		9745 (TRACTORS) CUMMINS CUMMINS	
Coolant Filter.....	WC-5711	Air Filter Secondary.....	A-6705	Fuel Filter Secondary.....	FC-7903
Fuel/Water Separator.....	SFC-5709-10	Fuel Filter Secondary.....	FC-7903	Fuel/Water Separator.....	SFC-5706
Oil Filter Combination.....	C-5723	Fuel/Water Separator.....	SFC-5706	Hydraulic Oil Filter.....	H-7916
8425 (TRACTORS) DETROIT SERIES 60		Hydraulic Oil Filter.....	H-7916	9745 (TRACTORS) VALMET VALMET	
Coolant Filter.....	WC-5705	8775 (TRACTORS) VALMET		Hydraulic Oil Filter.....	H-7916
Fuel Filter Secondary.....	FC-6502	Air Filter Secondary.....	A-6705	9755 (TRACTORS) CUMMINS	
Oil Filter Full Flow.....	C-65201	Hydraulic Oil Filter.....	H-7916	Air Filter.....	A-5434
8610 (TRACTORS)		Oil Filter Full Flow.....	C-7955	Fuel Filter Secondary.....	FC-7903
Air Filter Primary.....	AS-7988	8775 (TRACTORS) VALMET VALMET		Fuel/Water Separator.....	SFC-5706
8630 (TRACTORS) 8630		Air Filter Secondary.....	A-6705	Hydraulic Oil Filter.....	H-7916
Oil Filter Combination.....	C-5723	Hydraulic Oil Filter.....	H-7916	Oil Filter Combination.....	C-7927
8745 (TRACTORS) CUMMINS CUMMINS		Oil Filter Full Flow.....	C-7955	9755 (TRACTORS) CUMMINS CUMMINS	
Air Filter Secondary.....	A-6705	8785 (TRACTORS) CUMMINS CUMMINS		Fuel Filter Secondary.....	FC-7903
Fuel/Water Separator.....	SFC-5708	Air Filter Secondary.....	A-6705	Fuel/Water Separator.....	SFC-5706
Oil Filter Full Flow.....	C-5703	Fuel Filter Secondary.....	FC-7903	Hydraulic Oil Filter.....	H-7916
8745 (TRACTORS) CUMMINS 3.9L		Fuel/Water Separator.....	SFC-5706	9755 (TRACTORS) VALMET	
Fuel/Water Separator.....	SFC-5708	Hydraulic Oil Filter.....	H-7916	Air Filter.....	A-5434
Hydraulic Oil Filter.....	H-7916	8785 (TRACTORS) VALMET VALMET		Fuel Filter Secondary.....	FC-7903
		Air Filter Secondary.....	A-6705	Fuel/Water Separator.....	SFC-5706
		8795 (TRACTORS) VALMET		Hydraulic Oil Filter.....	H-7916
		Oil Filter Full Flow.....	C-7955	Oil Filter Combination.....	C-7927

MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
<b>AGCO</b>		<b>AGCO</b>		<b>AGCO</b>	
<b>9755</b> (TRACTORS) VALMET VALMET		Air Filter.....	A-5434	<b>RT105</b> (TRACTORS) RT105	
Fuel Filter Secondary.....	FC-7903	Fuel Filter Secondary.....	FC-7903	Fuel/Water Separator.....	SFC-5706
Fuel/Water Separator.....	SFC-5706	Fuel/Water Separator.....	SFC-5706		
Hydraulic Oil Filter.....	H-7916	Oil Filter Combination.....	C-7927	<b>RT115</b> (TRACTORS) CUMMINS	
<b>9765</b> (TRACTORS) CUMMINS CUMMINS		<b>DT225</b> (TRACTORS) CUMMINS		Fuel Filter Secondary.....	FC-7903
Fuel Filter Secondary.....	FC-7903	Air Filter.....	A-5434	Fuel/Water Separator.....	SFC-5706
Fuel/Water Separator.....	SFC-5706	Fuel Filter Secondary.....	FC-7903	Hydraulic Oil Filter.....	H-7916
Hydraulic Oil Filter.....	H-7916	Fuel/Water Separator.....	SFC-5706	<b>RT115</b> (TRACTORS) CUMMINS CUMMINS	
<b>9775</b> (TRACTORS) CUMMINS CUMMINS		Hydraulic Oil Filter.....	H-7916	Fuel Filter Secondary.....	FC-7903
Hydraulic Oil Filter.....	H-7916	Oil Filter Combination.....	C-7927	Fuel/Water Separator.....	SFC-5706
<b>9785</b> (TRACTORS) CUMMINS CUMMINS		<b>DT225</b> (TRACTORS) CUMMINS CUMMINS		Hydraulic Oil Filter.....	H-7916
Fuel Filter Secondary.....	FC-7903	Fuel Filter Secondary.....	FC-7903	<b>RT130</b> (TRACTORS) CUMMINS	
Fuel/Water Separator.....	SFC-5706	Fuel/Water Separator.....	SFC-5706	Fuel Filter Secondary.....	FC-7903
Hydraulic Oil Filter.....	H-7916	Hydraulic Oil Filter.....	H-7916	Fuel/Water Separator.....	SFC-5706
<b>9815</b> (TRACTORS)		Oil Filter Full Flow.....	C-5703	Hydraulic Oil Filter.....	H-7916
Hydraulic Oil Filter.....	HC-5508	<b>LT70</b> (TRACTORS) CUMMINS CUMMINS		<b>RT130</b> (TRACTORS) CUMMINS CUMMINS	
<b>DT160</b> (TRACTORS) CUMMINS		Air Filter Secondary.....	A-6705	Fuel Filter Secondary.....	FC-7903
Air Filter.....	A-5434	Fuel Filter Secondary.....	FC-7903	Fuel/Water Separator.....	SFC-5706
Fuel Filter Secondary.....	FC-7903	Oil Filter Full Flow.....	C-2212	Hydraulic Oil Filter.....	H-7916
Fuel/Water Separator.....	SFC-5706	<b>LT75</b> (TRACTORS) CUMMINS 4.5L		<b>RT145</b> (TRACTORS) CUMMINS CUMMINS	
Hydraulic Oil Filter.....	H-7916	Oil Filter Full Flow.....	C-2212	Fuel Filter Secondary.....	FC-7903
Oil Filter Combination.....	C-7927	<b>LT85</b> (TRACTORS) CUMMINS		Fuel/Water Separator.....	SFC-5706
<b>DT160</b> (TRACTORS) CUMMINS CUMMINS		Air Filter Secondary.....	A-6705	Hydraulic Oil Filter.....	H-7916
Fuel Filter Secondary.....	FC-7903	Fuel Filter Secondary.....	FC-7903	<b>RT100</b> (TRACTORS) CUMMINS 6.7L	
Fuel/Water Separator.....	SFC-5706	Fuel/Water Separator.....	SFC-5708	Air Filter Secondary.....	A-8578
Hydraulic Oil Filter.....	H-7916	Oil Filter Full Flow.....	C-5703	Air Filter Primary.....	A-8577
<b>DT180</b> (TRACTORS) DT180		<b>LT85A</b> (TRACTORS) SISU 4.4L TIER 3 , 4400, 2011		Oil Filter Full Flow.....	C-5713
Fuel/Water Separator.....	SFC-5706	Air Filter Secondary.....	A-56741	<b>RT135</b> (TRACTORS) CUMMINS 6.7L	
<b>DT180</b> (TRACTORS)		Air Filter Secondary.....	FC-7903	Hydraulic Oil Filter.....	H-5001
Air Filter.....	A-5434	Fuel/Water Separator.....	SFC-5708	Oil Filter Full Flow.....	C-5713
Fuel Filter Secondary.....	FC-7903	Oil Filter Full Flow.....	C-5703	<b>RT95</b> (TRACTORS) CUMMINS CUMMINS	
Fuel/Water Separator.....	SFC-5706	<b>LT90A</b> (TRACTORS) SISU 4.4L , 4400, 2011		Air Filter Secondary.....	A-6705
Oil Filter Combination.....	C-7927	Air Filter Primary.....	A-56731	Fuel Filter Secondary.....	FC-7903
<b>DT180A</b> (TRACTORS)		Air Filter Secondary.....	A-56741	Fuel/Water Separator.....	SFC-5706
Oil Filter Full Flow.....	C-7955	Air Filter Set.....	A-56731-S	Hydraulic Oil Filter.....	H-7916
<b>DT200</b> (TRACTORS) CUMMINS CUMMINS		<b>LT95A</b> (TRACTORS) SISU 4.4L TIER 3 , 4400, 2011		<b>ST35</b> (TRACTORS)	
Fuel Filter Secondary.....	FC-7903	Air Filter Secondary.....	A-56741	Fuel Filter.....	F-5210
Fuel/Water Separator.....	SFC-5706	Air Filter Set.....	A-56731-S	<b>ST35X</b> (TRACTORS)	
Hydraulic Oil Filter.....	H-7916	Air Filter Primary.....	A-56731	Fuel Filter.....	F-5210
<b>DT220</b> (TRACTORS) DT220		<b>RT105</b> (TRACTORS)		<b>ST40</b> (TRACTORS)	
Fuel/Water Separator.....	SFC-5706	Fuel Filter Secondary.....	FC-7903	Fuel Filter.....	F-5210
<b>DT220</b> (TRACTORS)		Fuel/Water Separator.....	SFC-5706	<b>ST40X</b> (TRACTORS)	

MODEL/APPLICATION	SAKURA NO
<b>AGCO</b>	
<b>ST40X</b> (TRACTORS)	
Fuel Filter.....	F-5210
<b>ST55</b> (TRACTORS) ISEKI 4 CYL 2.8L	
Fuel Filter.....	F-5210
<b>ZT1644</b> (TRACTORS) KOHLER 18 HP	
Oil Filter Full Flow.....	C-7606
Oil Filter Full Flow.....	C-6402

# Technical Specification

**B**

<p><b>A-5105</b> Air Filter Primary Soft PU end cap Element</p> <p>LOESING 024110 VOLVO 2908237 MASSEY-FERGUSON 3901477M1 J.C.BAMFORD 580-12020</p> <p>Secondary Filter uses A-5106 Set Filter uses A-5107-S H 1 : 400 (mm) H 2 : 367 (mm) OD 1 : 194 (mm) OD 2 : 194 (mm) ID 1 : 113.5 (mm)</p> <p>CONT : 4 VOL : 0.078</p>	<p><b>A-56731-S</b> Air Filter Set Soft PU end cap Element</p> <p>MANITOU 77549+775480</p>  <p>Primary Filter uses A-56731 Secondary Filter uses A-56741 H 1 : 395 (mm) H 2 : 385 (mm) OD 1 : 186 (mm) OD 2 : 184 (mm) ID 1 : 87 (mm)</p> <p>CONT : 0 VOL : 0.000</p>	<p><b>A-6706-S</b> Air Filter Set Soft PU end cap Element</p> <p>J.C.BAMFORD 32/917804+32/917805</p> <p>Primary Filter uses A-6703 Secondary Filter uses A-6705 H 1 : 375 (mm) H 2 : 342 (mm) OD 1 : 159 (mm) OD 2 : 159 (mm) ID 1 : 94 (mm)</p> <p>CONT : 9 VOL : 0.109</p>
<p><b>A-5106</b> Air Filter Secondary Soft PU end cap Element</p> <p>LOESING 024112 VOLVO 2908238 MASSEY-FERGUSON 3901478M1 J.C.BAMFORD 580-12021</p> <p>Primary Filter uses A-5105 Set Filter uses A-5107-S H 1 : 386 (mm) H 2 : 380 (mm) OD 1 : 104 (mm) OD 2 : 107 (mm) ID 1 : 93 (mm)</p> <p>CONT : 25 VOL : 0.178</p>	<p><b>A-56741</b> Air Filter Secondary Soft PU end cap Element</p> <p>MANITOU 775480</p>  <p>Primary Filter uses A-56731 Set Filter uses A-56731-S H 1 : 382.5 (mm) H 2 : 378 (mm) OD 1 : 106 (mm) OD 2 : 100 (mm) ID 1 : 87 (mm)</p> <p>CONT : 0 VOL : 0.000</p>	<p><b>A-6708</b> Air Filter Soft PU end cap Element</p> <p>MASSEY-FERGUSON 3902782M1</p> <p>H 1 : 388 (mm) OD 1 : 117 (mm) OD 2 : 114.6 (mm) ID 1 : 102 (mm)</p> <p>CONT : 20 VOL : 0.142</p>
<p><b>A-5107-S</b> Air Filter Set Soft PU end cap Element</p> <p>LOESING 024110+024112 MASSEY-FERGUSON 3901477M1+3901478M1 J.C.BAMFORD 580-12020+580-12021</p> <p>Primary Filter uses A-5105 Secondary Filter uses A-5106 H 1 : 400 (mm) H 2 : 367 (mm) OD 1 : 194 (mm) OD 2 : 194 (mm) ID 1 : 113.5 (mm)</p> <p>CONT : 4 VOL : 0.074</p>	<p><b>A-57340</b> Air Filter Secondary Metal End Cap Element</p> <p>MASSEY-FERGUSON 3632350M1 STEIGER 904204T1</p>  <p>Primary Filter uses A-8526 Set Filter uses A-8526-S H 1 : 518 (mm) H 2 : 505 (mm) OD 1 : 194 (mm) OD 2 : 194 (mm) ID 1 : 153 (mm) ID 2 : 17 (mm)</p> <p>CONT : 9 VOL : 0.222</p>	<p><b>A-8577</b> Air Filter Primary Soft PU end cap Element</p> <p>LOESING 020720 PERKINS 26510353 J.C.BAMFORD 32/912901 KOMATSU 42X01H0P02</p>  <p>Secondary Filter uses A-8578 Set Filter uses A-8577-S H 1 : 423 (mm) H 2 : 410 (mm) OD 1 : 207 (mm) OD 2 : 207 (mm) ID 1 : 106.5 (mm)</p> <p>CONT : 1 VOL : 0.021</p>
<p><b>A-5434</b> Air Filter Metal End Cap Element</p> <p>KOMATSU 381-935694-1 INTERNATIONAL HARVESTER 935694 C1</p>  <p>H 1 : 419 (mm) H 2 : 406.5 (mm) OD 1 : 264.5 (mm) OD 2 : 264.5 (mm) ID 1 : 153 (mm) ID 2 : 17 (mm)</p> <p>CONT : 1 VOL : 0.033</p>	<p><b>A-6703</b> Air Filter Primary Soft PU end cap Element</p> <p>MERCEDES-BENZ 004 094 04 04 MASSEY-FERGUSON 3901475M1 BOBCAT 6910725 LIEBHERR 761 1451</p> <p>Secondary Filter uses A-6705 Set Filter uses A-6706-S H 1 : 375 (mm) H 2 : 342 (mm) OD 1 : 159 (mm) OD 2 : 159 (mm) ID 1 : 94 (mm)</p> <p>CONT : 9 VOL : 0.118</p>	<p><b>A-8578</b> Air Filter Secondary Soft PU end cap Element</p> <p>LOESING 020864 J.C.BAMFORD 32/912902 KOMATSU 42X01H0P01 KOMATSU 600-185-3120</p>  <p>Primary Filter uses A-8577 Set Filter uses A-8577-S H 1 : 407.5 (mm) H 2 : 401 (mm) OD 1 : 107 (mm) OD 2 : 100 (mm) ID 1 : 87 (mm)</p> <p>CONT : 25 VOL : 0.193</p>
<p><b>A-56731</b> Air Filter Primary Soft PU end cap Element</p> <p>MANITOU 775479</p>  <p>Secondary Filter uses A-56741 Set Filter uses A-56731-S H 1 : 394.5 (mm) H 2 : 385 (mm) OD 1 : 186 (mm) OD 2 : 184 (mm) ID 1 : 105.5 (mm)</p> <p>CONT : 1 VOL : 0.000</p>	<p><b>A-6705</b> Air Filter Secondary Soft PU end cap Element</p> <p>KHD(KLOCKNER-HUMBOLT-DEUTZ ) 0441 5906 VOLVO (TRUCK/VCE/VME/PENTA) 11705111 MASSEY-FERGUSON 3901476M1</p> <p>Primary Filter uses A-6703 Set Filter uses A-6706-S H 1 : 360 (mm) OD 1 : 85.6 (mm) OD 2 : 85 (mm) ID 1 : 71 (mm)</p> <p>CONT : 25 VOL : 0.099</p>	<p><b>AS-7988</b> Air Filter Primary Metal End Cap Element With Sleeve</p> <p>YANMAR 119131-12530 FIAT-ALLIS 1930765 KOMATSU 203-01-K1130</p>  <p>Secondary Filter uses A-7964 Set Filter uses AS-7988-S H 1 : 394 (mm) H 2 : 381 (mm) OD 1 : 200 (mm) OD 2 : 216.5 (mm) ID 1 : 88 (mm) ID 2 : 17 (mm)</p> <p>CONT : 4 VOL : 0.091</p>



# Sakura Filter

# Technical Specification

**C-1123** Oil Filter Full Flow Spin-On



TOYOTA 00120-00009  
TOYOTA 00120-00010  
TOYOTA 00120-00014  
CHRYSLER 04105409AC  
CHRYSLER 04105409BB

H 1 : 85 (mm)  
OD 1 : 76 (mm)  
Thread Size : 3/4-16 UNF-2B  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Square

CONT : 50  
VOL : 0.031

16

**C-5723** Oil Filter Combination Spin-On Synthetic Media



KOMATSU 6742-01-4120


H 1 : 280 (mm)  
OD 1 : 121 (mm)  
Thread Size : 2 1/4-12 UNF-2B  
Gasket Type : Square

CONT : 6  
VOL : 0.038

Note : C-5723 is upgrade version of C-5706

21

**C-7927** Oil Filter Combination Spin-On



KOMATSU CULF 3548  
CASE J919562

H 1 : 238 (mm)  
OD 1 : 121 (mm)  
Thread Size : 2 1/4-12 UNF-2B  
Gasket Type : Square

CONT : 6  
VOL : 0.030

26

**C-2212** Oil Filter Full Flow Spin-On Synthetic Media




IVECO 504084161  
MC CORMICK (LANDINI-ARGO) 707209A1

H 1 : 172 (mm)  
OD 1 : 93.5 (mm)  
Thread Size : M27X2-6H  
ADBV : YES  
Gasket Type : Square

CONT : 12  
VOL : 0.026

17

**C-6204** Oil Filter Full Flow Spin-On



MERCEDES-BENZ 001 184 96 01  
WEICHAH 1000046758  
DEUTZ 1173430  
CATERPILLAR 5W-6017  
ALLIS CHALMERS 61671600


H 1 : 206 (mm)  
OD 1 : 93 (mm)  
Thread Size : 1-12 UNF-2B  
BPV (kg/cm<sup>2</sup>) : 2.0 - 2.5  
ADBV : YES  
Gasket Type : Square

CONT : 25  
VOL : 0.057

Note : With Grip

22

**C-7955** Oil Filter Full Flow Spin-On




VALMET, VALTRA TRACTOR,  
VALTRA-VL 20147133  
STEYR-DAIMLER-PUCH  
620.00.070.744

H 1 : 147 (mm)  
OD 1 : 108 (mm)  
Thread Size : M24X1.5-6H  
Gasket Type : Square

CONT : 12  
VOL : 0.031

27

**C-5703** Oil Filter Full Flow Spin-On




HYUNDAI 11E1-70110  
CUMMINS 3903224  
LIUGONG 40C0677  
KOMATSU 6732-51-5140  
CASE J908616

H 1 : 135 (mm)  
OD 1 : 93 (mm)  
Thread Size : 1-16 UNF-2B  
Gasket Type : Square

CONT : 12  
VOL : 0.018

18

**C-6402** Oil Filter Full Flow Spin-On




KOHLERPOWER 1205001  
KOHLERPOWER 1205001S  
KOHLERPOWER 1205008S  
BRIGGS & STRATTON 492932S  
JOHN DEERE AM125424

H 1 : 57 (mm)  
OD 1 : 76 (mm)  
Thread Size : 3/4-16 UNF-2B  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Square

CONT : 50  
VOL : 0.024

23

**F-5210** Fuel Filter Metal End Cap Element




YANMAR 129100-55650  
KUBOTA 15521-43160  
KUBOTA 607

H 1 : 89 (mm)  
OD 1 : 50 (mm)  
OD 2 : 50 (mm)  
ID 1 : 20 (mm)

CONT : 50  
VOL : 0.017

28

**C-5704** Oil Filter Full Flow Spin-On Cellulose media



J.C.BAMFORD 02/910140  
J.C.BAMFORD 02/910140A  
CUMMINS 3903264  
LIUGONG 53C0226


H 1 : 172 (mm)  
OD 1 : 93 (mm)  
Thread Size : 1-16 UNF-2B  
Gasket Type : Square

CONT : 12  
VOL : 0.023

Note : High Performance Grade Uses C-5730

19

**C-65201** Oil Filter Full Flow Spin-On Cellulose media




GENERAL MOTORS 23518480  
DETROIT DIESEL 23527033  
GENERAL MOTORS 25014505

H 1 : 260 (mm)  
OD 1 : 118 (mm)  
Thread Size : 1 5/8-12 UNF-2B  
Gasket Type : Square

CONT : 6  
VOL : 0.031

24

**FC-5101** Fuel Filter Can-type Housing




MASSEY-FERGUSON 1896287M91  
PEUGEOT 1906.12

H 1 : 113 (mm)  
OD 1 : 84 (mm)  
ID 1 : 19 (mm)

CONT : 50  
VOL : 0.054

29

**C-5713** Oil Filter Full Flow Spin-On Synthetic Media



CUMMINS 4897898  
CASE 87803261  
FOTON C4897898A0571A


H 1 : 172 (mm)  
OD 1 : 93.5 (mm)  
Thread Size : M27X2-6H  
Gasket Type : Square

CONT : 12  
VOL : 0.026

Note : C-5734(Economical type of C-5713)

20

**C-7606** Oil Filter Full Flow Spin-On




CUSHMAN 12 050 01  
KOHLERPOWER 12 050 01  
KOHLERPOWER 12 050 01-S

H 1 : 64 (mm)  
OD 1 : 76 (mm)  
Thread Size : 3/4-16 UNF-2B  
BPV (kg/cm<sup>2</sup>) : 1.0  
ADBV : YES  
Gasket Type : Square

CONT : 50  
VOL : 0.026

25

**FC-5103** Fuel Filter Can-type Housing



ALLIS CHALMERS 1919100  
MANITOU 49660  
CASE K915319

H 1 : 71 (mm)  
OD 1 : 85 (mm)  
OD 2 : 89 (mm)  
ID 1 : 39 (mm)  
ID 2 : 15 (mm)

CONT : 50  
VOL : 0.036

30

**FC-6502** Fuel Filter Secondary Spin-On

GENERAL MOTORS 25010778  
GENERAL MOTORS 6438840



Primary Filter uses FC-6501

H 1 : 172 (mm)  
OD 1 : 93 (mm)  
Thread Size : 13/16-12 UNF-2B  
Gasket Type : Square

CONT : 12  
VOL : 0.025

31

**SFC-5706** Fuel/Water Separator Spin-On

J.C.BAMFORD 02/910150  
J.C.BAMFORD 02/910150A  
HYUNDAI 11E1-70210  
CUMMINS 3935274  
LIUGONG 53C0051




H 1 : 134 (mm)  
OD 1 : 93 (mm)  
Thread Size : 13/16-18 UNS-2B  
Thread Nut Size : M14X2  
Gasket Type : Square

CONT : 12  
VOL : 0.021

36

**FC-7903** Fuel Filter Secondary Spin-On High Efficiency

J.C.BAMFORD 02/910155  
CUMMINS 3903640  
CUMMINS 3931063  
DONGFENG C39310663



H 1 : 115 (mm)  
OD 1 : 76 (mm)  
Thread Size : M16X1.5-6H  
Gasket Type : Square

CONT : 25  
VOL : 0.023

32

**SFC-5708** Fuel/Water Separator Spin-On

CUMMINS 3286503  
CUMMINS 3843760  
CUMMINS 3903202



H 1 : 140 (mm)  
OD 1 : 76 (mm)  
Thread Size : M16X1.5-6H

CONT : 25  
VOL : 0.033

37

**H-5001** Hydraulic Oil Filter Metal End Cap Element With Microfiber media

TAMROCK 81893749  
FORD E8NNF882BA  
PALL HC9600FUS8H




H 1 : 208 (mm)  
H 2 : 204 (mm)  
OD 1 : 79 (mm)  
OD 2 : 79 (mm)  
ID 1 : 42 (mm)

CONT : 25  
VOL : 0.040

33

**SFC-5709-10** Fuel/Water Separator Spin-On 10 Micron

CATERPILLAR 256-8753  
CUMMINS 3329289  
HITACHI 4377880  
SANY B222100000596



H 1 : 245 (mm)  
OD 1 : 93 (mm)  
Thread Size : 1-14 UNS-2B  
Gasket Type : Square

CONT : 6  
VOL : 0.019

38

**H-7916** Hydraulic Oil Filter Metal End Cap Element With Microfiber media

PALL HC-9600FUP8H




H 1 : 207 (mm)  
H 2 : 203 (mm)  
OD 1 : 79 (mm)  
OD 2 : 79 (mm)  
ID 1 : 42 (mm)

CONT : 25  
VOL : 0.054

34

**WC-5705** Coolant Filter Spin-On

CUMMINS 299080  
CUMMINS 3100304  
CUMMINS 3305367



H 1 : 100 (mm)  
OD 1 : 93 (mm)  
Thread Size : 11/16-16 UNF-2B  
Gasket Type : Square


CONT : 12  
VOL : 0.018

Note : Coolants 4 units

39

**HC-5508** Hydraulic Oil Filter Spin-On Synthetic Media

KOMATSU 1281327H1  
CASE 1346028C1  
CATERPILLAR 9T5916



H 1 : 240 (mm)  
OD 1 : 94.5 (mm)  
Thread Size : 1 3/8-12 UNF-2B


CONT : 12  
VOL : 0.036

Note : with Glass Fiber Media

35

**WC-5711** Coolant Filter Spin-On

CUMMINS 3315115  
CUMMINS 3316462  
CUMMINS 4058964



H 1 : 100 (mm)  
OD 1 : 93 (mm)  
Thread Size : 11/16-16 UNF-2B  
Gasket Type : Square

CONT : 12  
VOL : 0.014

Note : Coolants 8 units

40