



FOTON

FILTERS SUB-CATALOGUE



Table of Contents

Engine Application
Technical Specification

A
B

Engine Application

A

MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
FOTON		FOTON		FOTON	
1028 (TRUCKS) 2.2L , 2200 Oil Filter Full Flow.....	C-38010	AUMAN (TRUCKS) CUMMINS ISX12 , 2019 Fuel/Water Separator.....	SF-73020	Fuel Filter Secondary.....	FC-7903
1039 (TRUCKS) 3.8L , 3800 Fuel Filter.....	FC-38040	AUMAN (TRUCKS) 385 (BJ53_) , 2005 Fuel/Water Separator.....	SFC-38090-10	Fuel/Water Separator.....	SFC-5706
4X2 (TRUCKS) WP10.270/ WP10.290 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) CUMMINS ISM Air Filter Secondary.....	A-38040	BJ1141 (TRUCKS) CUMMINS 6CTA8.3 , 2009-UP Coolant Filter.....	WC-5705
Oil Filter Full Flow.....	C-4905	Air Filter Primary.....	A-38050	Fuel Filter Secondary.....	FC-7903
6X2 (TRUCKS) WP10.336/ WP10.375 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) CUMMINS ISF Air Filter Primary.....	A-38050	Fuel/Water Separator.....	SFC-5706
Oil Filter Full Flow.....	C-4905	Air Filter Secondary.....	A-38040	BJ1141 (TRUCKS) CUMMINS 6CT8.3 , 2009 Coolant Filter.....	WC-5705
6X4 (TRUCKS) WP10.336 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) CUMMINS ISG Air Filter Secondary.....	A-38040	Fuel Filter Secondary.....	FC-7903
Oil Filter Full Flow.....	C-4905	Air Filter Primary.....	A-38050	Fuel/Water Separator.....	SFC-5706
8X4 (TRUCKS) WP10.336/ WP10.375 Fuel Filter.....	FC-71090	AUMAN (TRUCKS) WEICHAI WP10 Air Filter Primary.....	A-38050	BJ1208 (TRUCKS) CUMMINS 6BTA5.9 , 2009-UP Fuel Filter Secondary.....	FC-7903
Oil Filter Full Flow.....	C-4905	Air Filter Secondary.....	A-38040	Fuel/Water Separator.....	SFC-5706
AUMAN D6114B Euro II (TRUCKS) 4C180 Fuel Filter.....	FC-55240	Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-5704
AUMAN ETX (TRUCKS) 290W Air Filter Secondary.....	A-38070	Oil Filter Full Flow.....	C-6204	BJ1208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary.....	FC-7903
Air Filter Primary.....	A-38060	AUMAN (TRUCKS) WEICHAI WP12 Air Filter Secondary.....	A-38040	Fuel/Water Separator.....	SFC-5706
Air Filter Set.....	A-38080-S	Air Filter Primary.....	A-38050	Oil Filter Full Flow.....	C-5704
Fuel Filter.....	FC-45010	Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-5730
Oil Filter Full Flow.....	C-4905	Oil Filter Full Flow.....	C-2508	BJ1208 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705
AUMAN ETX (TRUCKS) Shanghai Diesel SC9DK Oil Filter Combination.....	C-5722	AUMAN GTL (TRUCKS) Shanghai Diesel SC9DK Oil Filter Combination.....	C-5722	Fuel Filter Secondary.....	FC-7903
AUMAN ETX (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	AUMAN GTL (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	Fuel/Water Separator.....	SFC-5706
Oil Filter Full Flow.....	C-2508	Oil Filter Full Flow.....	C-6204	Oil Filter Full Flow.....	C-5704
Oil Filter Full Flow.....	C-6204	Oil Filter Full Flow.....	C-2508	BJ1241 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705
AUMAN ETX (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	AUMAN GTL (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	Fuel Filter Secondary.....	FC-7903
AUMAN ETX (TRUCKS) YUCHAI YC6A Oil Filter Full Flow.....	C-7105	AUMAN VT (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	Fuel/Water Separator.....	SFC-5706
AUMAN ETX (TRUCKS) YUCHAI YC6J Oil Filter Full Flow.....	C-7105	Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-5704
AUMAN 6 340 CL 10 (TRUCKS) Air Filter Set.....	A-49540-S	Oil Filter Full Flow.....	C-6204	Oil Filter Full Flow.....	C-5730
AUMAN EST (TRUCKS) CUMMINS ISGE3 Oil Filter Full Flow.....	C-38180	Oil Filter Full Flow.....	C-2508	BJ3208 (TRUCKS) CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary.....	FC-7903
AUMAN (TRUCKS) CUMMINS ISX12 , 2019 Fuel/Water Separator.....	SF-73020	AUMAN GTL (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	Fuel/Water Separator.....	SFC-5706
AUMAN (TRUCKS) 385 (BJ53_) , 2005 Fuel/Water Separator.....	SFC-38090-10	AUMAN GTL (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-5704
AUMAN (TRUCKS) CUMMINS ISM Air Filter Secondary.....	A-38040	AUMAN VT (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	Oil Filter Full Flow.....	C-5730
Air Filter Primary.....	A-38050	Fuel Filter.....	FC-71090	BJ3208 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705
AUMAN (TRUCKS) CUMMINS ISF Air Filter Primary.....	A-38050	AUMAN VT (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	Fuel Filter Secondary.....	FC-7903
Air Filter Secondary.....	A-38040	Fuel Filter.....	FC-71090	Fuel/Water Separator.....	SFC-5706
AUMAN (TRUCKS) CUMMINS ISG Air Filter Secondary.....	A-38040	AUMAN VT (TRUCKS) WEICHAI WP10 Fuel Filter.....	FC-71090	BJ3228 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705
Air Filter Primary.....	A-38050	Oil Filter Full Flow.....	C-6204	Fuel Filter Secondary.....	FC-7903
AUMAN (TRUCKS) WEICHAI WP10 Air Filter Primary.....	A-38050	Oil Filter Full Flow.....	C-2508	Fuel/Water Separator.....	SFC-5706
Air Filter Secondary.....	A-38040	AUMAN VT (TRUCKS) WEICHAI WP12 Fuel Filter.....	FC-71090	BJ3228 (TRUCKS) CUMMINS 6CTA8.3 , 2009 Coolant Filter.....	WC-5705
AUMAN (TRUCKS) WEICHAI WP12 Air Filter Secondary.....	A-38040	AUMARK (TRUCKS) YUCHAI YC4E Oil Filter Full Flow.....	C-2508	Fuel Filter Secondary.....	FC-7903
Air Filter Primary.....	A-38050	BJ1141 (TRUCKS) CUMMINS 6CT8.3 , 2009-UP Coolant Filter.....	WC-5705	Fuel/Water Separator.....	SFC-5706
Fuel Filter.....	FC-71090				

Sakura Filter

ENGINE APPLICATION

MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO	MODEL/APPLICATION	SAKURA NO
FOTON		FOTON		FOTON	
BJ3228 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009		BJ4253SMFKB-S6 <i>(TRUCKS)</i> WP12.336N Fuel Filter..... FC-71090 Oil Filter Full Flow..... C-4905		FT354 <i>(TRUCKS)</i> PERKINS 4 CYL , 2007 Fuel Filter..... FC-5715 Oil Filter Full Flow..... C-66071	
BJ3241 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		BJ5141 <i>(TRUCKS)</i> CUMMINS 6CT8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		FT404 <i>(TRUCKS)</i> PERKINS 4 CYL , 2007 Fuel Filter..... FC-5715 Oil Filter Full Flow..... C-66071	
BJ3268 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		BJ5141 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		FT504 <i>(TRUCKS)</i> PERKINS 4 CYL , 2007 Fuel Filter..... FC-5715 Oil Filter Full Flow..... C-66071	
BJ4141 <i>(TRUCKS)</i> CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706 Oil Filter Full Flow..... C-5704 Oil Filter Full Flow..... C-5730		BJ5188 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		FT604 <i>(TRUCKS)</i> PERKINS 4 CYL , 2007 Fuel Filter..... FC-5715 Oil Filter Full Flow..... C-66071	
BJ4141 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		ETX <i>(TRUCKS)</i> ISDe185 30 Oil Filter Full Flow..... C-5713		FT704 <i>(TRUCKS)</i> PERKINS 4 CYL , 2007 Fuel Filter..... FC-5715 Oil Filter Full Flow..... C-66071	
BJ4171 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		ETX <i>(TRUCKS)</i> ISDe210 30 Oil Filter Full Flow..... C-5713		FT824 <i>(TRUCKS)</i> PERKINS 4 CYL , 2007 Fuel Filter..... FC-5715 Oil Filter Full Flow..... C-66071	
BJ4208 <i>(TRUCKS)</i> CUMMINS 6BTA5.9 , 2009 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706 Oil Filter Full Flow..... C-5704 Oil Filter Full Flow..... C-5730		ETX <i>(TRUCKS)</i> ISDe245 30 Oil Filter Full Flow..... C-5713			
BJ4208 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		ETX <i>(TRUCKS)</i> ISDe270 30 Oil Filter Full Flow..... C-5713			
BJ4241 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2009 Coolant Filter..... WC-5705 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5706		FD812 <i>(TRUCKS)</i> CUMMINS B3.9C , 2007 Fuel Filter..... FS-5701			
BJ4251SLFJB-S <i>(TRUCKS)</i> WP10.300N Fuel Filter..... FC-71090 Oil Filter Full Flow..... C-4905		FR618 <i>(TRUCKS)</i> CUMMINS 6CTA8.3 , 2007 Fuel Filter..... FS-5701 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5708 Fuel/Water Separator..... SFC-5706			
BJ4253SMFKB-2 <i>(TRUCKS)</i> WP12.336 Oil Filter Full Flow..... C-4905		FS818D <i>(TRUCKS)</i> CUMMINS 6B5.9 , 2007 Fuel Filter Secondary..... FC-7903 Fuel/Water Separator..... SFC-5708 Fuel/Water Separator..... SFC-5706 Oil Filter Full Flow..... C-5730 Oil Filter Full Flow..... C-5704			
BJ4253SMFKB-S6 <i>(TRUCKS)</i> W P 12.375N Fuel Filter..... FC-71090 Oil Filter Full Flow..... C-4905		FT254 <i>(TRUCKS)</i> PERKINS 4 CYL , 2007 Fuel Filter..... FC-5715 Oil Filter Full Flow..... C-66071			

Technical Specification

B

Sakura Filter

Technical Specification

A-38040 Air Filter Secondary Soft PU end cap Element

YILIWANGDEFU 1109060-50A
FAW 1109570-228
SINOTRUK WG9725190102



Primary Filter uses A-38050
Set Filter uses A-38050-S
H 1 : 430 (mm)
OD 1 : 185 (mm)
OD 2 : 181 (mm)
ID 1 : 124 (mm)

CONT : 9
VOL : 0.160

1

A-38520 Air Filter Soft PU end cap Element

FOTON FH4119202023A0W0343



H 1 : 464 (mm)
H 2 : 457 (mm)
OD 1 : 303 (mm)
OD 2 : 303 (mm)
ID 1 : 168 (mm)


CONT : 1
VOL : 0.052

Note : For Foton Auman EST / Engine cummins IS Ge3

6

C-38010 Oil Filter Full Flow Spin-On

BENGBU JX0810D2



H 1 : 135 (mm)
OD 1 : 93 (mm)
Thread Size : 3/4-16 UNF-2B
BPV (kg/cm²) : 1.0
ADBV : YES
Gasket Type : Square

CONT : 16
VOL : 0.033

Note : Truck Foton 2200cc, model 1028

11

A-38050 Air Filter Primary Soft PU end cap Element

YILIWANGDEFU 1109070-50A
FAW 11095550-228
SINOTRUK WG9725190103



Secondary Filter uses A-38040
Set Filter uses A-38050-S
H 1 : 435.5 (mm)
H 2 : 413 (mm)
OD 1 : 280 (mm)
OD 2 : 280 (mm)
ID 1 : 188 (mm)

CONT : 1
VOL : 0.041

2

A-38520-S Air Filter Set Soft PU end cap Element

FOTON
FH4119202023A0W0343+FH411920
2024A0W0343



Primary Filter uses A-38520
Secondary Filter uses A-38530
H 1 : 464 (mm)
H 2 : 457 (mm)
OD 1 : 303 (mm)
OD 2 : 303 (mm)
ID 1 : 168 (mm)


CONT : 1
VOL : 0.052

Note : For Foton Auman EST / Engine cummins IS Ge3

7

C-38180 Oil Filter Full Flow Spin-On

CUMMINS 3694654
FOTON 3694654



H 1 : 246.5 (mm)
Not Available : 118 (mm)
Thread Size : 1 1/2-12 UNF-2B

CONT : 6
VOL : 0.029

Note : For Foton Auman EST / Engine cummins IS Ge3

12

A-38060 Air Filter Primary Metal End Cap Element

FOTON 133211987002P




Secondary Filter uses A-38070
Set Filter uses A-38080-S
H 1 : 508 (mm)
H 2 : 499 (mm)
OD 1 : 276 (mm)
OD 2 : 276 (mm)
ID 1 : 165 (mm)
ID 2 : 23 (mm)

CONT : 1
VOL : 0.045

3

A-38530 Air Filter Secondary Soft PU end cap Element

FOTON FH4119202024A0W0343



Primary Filter uses A-38520
Set Filter uses A-38520-S
H 1 : 449 (mm)
H 2 : 444 (mm)
OD 1 : 171 (mm)
OD 2 : 163 (mm)
ID 1 : 150 (mm)


CONT : 9
VOL : 0.152

Note : For Foton Auman EST / Engine cummins IS Ge3

8

C-4905 Oil Filter Full Flow Spin-On

DONGFENG 1012010AD1



H 1 : 203 (mm)
OD 1 : 93 (mm)
Thread Size : 1-12 UNF-2B
BPV (kg/cm²) : 1.4 - 1.6
ADBV : YES
Gasket Type : Square


CONT : 12
VOL : 0.028

Note : WD615 series Diesel Engine for Weichai, FAW FD336

13

A-38070 Air Filter Secondary Metal End Cap Element

FOTON 133211987002S



Primary Filter uses A-38060
Set Filter uses A-38080-S
H 1 : 484 (mm)
H 2 : 475 (mm)
OD 1 : 162.5 (mm)
OD 2 : 162.5 (mm)
ID 1 : 134 (mm)
ID 2 : 23 (mm)


CONT : 9
VOL : 0.146

Note :

4

A-49540-S Air Filter Set Metal End Cap Element

FOTON
1325311982187+1325311982186



Primary Filter uses A-49380
Secondary Filter uses A-49530
H 1 : 513 (mm)
H 2 : 503.5 (mm)
OD 1 : 324 (mm)
OD 2 : 324 (mm)
ID 1 : 180.5 (mm)
ID 2 : 23 (mm)


CONT : 1
VOL : 0.063

Note : Foton Auman 6 340 CL 10-wheel truck with 340 PS

9

C-5704 Oil Filter Full Flow Spin-On Cellulose media

J.C.BAMFORD 02/910140
J.C.BAMFORD 02/910140A
CUMMINS 3903264



H 1 : 172 (mm)
OD 1 : 93 (mm)
Thread Size : 1-16 UNF-2B
Gasket Type : Square


CONT : 12
VOL : 0.023

Note : High Performance Grade Uses C-5730

14

A-38080-S Air Filter Set Metal End Cap Element

FOTON 133211987002




Primary Filter uses A-38060
Secondary Filter uses A-38070
H 1 : 508 (mm)
H 2 : 499 (mm)
OD 1 : 276 (mm)
OD 2 : 276 (mm)
ID 1 : 134 (mm)
ID 2 : 23 (mm)

CONT : 1
VOL : 0.049

5

C-2508 Oil Filter Full Flow Spin-On

RENAULT 0 000 054 020
RENAULT 0 000 504 020
RENAULT 0 001 907 947



H 1 : 206 (mm)
OD 1 : 93 (mm)
Thread Size : 1-12 UNF-2B
BPV (kg/cm²) : 2.0 - 2.5
ADBV : YES
Gasket Type : Square


CONT : 12
VOL : 0.037

Note : With Hat

10

C-5707 Oil Filter Combination Spin-On Seamless

J.C.BAMFORD 02/910965
CUMMINS 3401544
KOMATSU 6742-01-4540



H 1 : 294 (mm)
OD 1 : 118 (mm)
Thread Size : 2 1/4-12 UNF-2B
Gasket Type : Square

CONT : 6
VOL : 0.029

Note : Multilayer

15

C-5710 Oil Filter Combination Spin-On Seamless

HYUNDAI 11NB-70110
CUMMINS 2882674
CUMMINS 3101869
LIUGONG 40C0434
KOMATSU 600-211-1340


H 1 : 299 (mm)
OD 1 : 118 (mm)
Thread Size : M95X2.5-7H

CONT : 6
VOL : 0.033

Note : Performance Grade Uses C-5724,C-57430

C-66071 Oil Filter Full Flow Spin-On

PERKINS 2654403
CATERPILLAR 7W-2327




H 1 : 129 (mm)
OD 1 : 93 (mm)
Thread Size : 3/4-16 UNF-2B
BPV (kg/cm2) : 1.0
ADBV : YES
Gasket Type : Square

CONT : 12
VOL : 0.019

FC-55240 Fuel Filter Spin-On High Efficiency

DONGFENG D638-002-802A
SDE ENGINE D638-002-802A
YUCHAI G5800-1105140
WEICHAI VG1540080110




H 1 : 210 (mm)
OD 1 : 108 (mm)
Thread Size : 1-14 UNS-2B

CONT : 12
VOL : 0.042

C-5713 Oil Filter Full Flow Spin-On Synthetic Media

CUMMINS 4897898
CASE 87803261
FOTON C4897898A0571A




H 1 : 172 (mm)
OD 1 : 93.5 (mm)
Thread Size : M27X2-6H
Gasket Type : Square

CONT : 12
VOL : 0.026

Note : C-5734(Economical type of C-5713)

C-7105 Oil Filter Full Flow Spin-On

VOLVO 478736
VOLVO 478736-2
RENAULT 5 001 846 642




H 1 : 259 (mm)
OD 1 : 108 (mm)
Thread Size : 1 1/8-16 UNF-2B
Gasket Type : Square

CONT : 6
VOL : 0.026

FC-5715 Fuel Filter Spin-On With Drain Plug

KHD(KLOCKNER-HUMBOLT-DEUTZ) 1174482
J.C.BAMFORD 32/912001




H 1 : 163 (mm)
OD 1 : 81.5 (mm)
Thread Size : M16X1.5-6H
Thread Nut Size : M8X1.25
Gasket Type : Square

CONT : 25
VOL : 0.037

C-5722 Oil Filter Combination Spin-On Seamless

CUMMINS 3318853
NEW HOLLAND (CNH) 9703112



H 1 : 294 (mm)
OD 1 : 118 (mm)
Thread Size : 2 1/4-12 UNF-2B

CONT : 6
VOL : 0.029

Note : C-5706 Non Multilayer type, C-5721 Multilayer type, C-5722 Multilayer & Seamless type

ES-57010 Fuel/Water Separator Eco Element

CUMMINS 5264870




H 1 : 128 (mm)
H 2 : 105 (mm)
OD 1 : 81.5 (mm)
OD 2 : 81.5 (mm)
ID 1 : 27 (mm)
ID 2 : 21 (mm)

CONT : 50
VOL : 0.055

Note : FOTON TUNLAND CUM ISF 2.8L 2012-ON

FC-71090 Fuel Filter Spin-On High Efficiency

FAW DE 1117050A81DM
FAW CN 1117050A81DM
FAW CN 2S1117010-81DM
WEICHAI 612630080087




H 1 : 262 (mm)
OD 1 : 108 (mm)
Thread Size : M32X1.5-6H
Gasket Type : Square

CONT : 12
VOL : 0.048

Note : media 2 micron

C-5730 Oil Filter Full Flow Spin-On Synthetic Media

CUMMINS 3903264
VOLVO 9912-90710



H 1 : 174 (mm)
OD 1 : 93 (mm)
Thread Size : 1-16 UNF-2B
Gasket Type : Square

CONT : 12
VOL : 0.030

FC-38040 Fuel Filter Spin-On

BENGBU CX0710B3




H 1 : 148 (mm)
H 2 : 134 (mm)
OD 1 : 81.5 (mm)
Thread Size : M16X1.5-6H
Thread Nut Size : M10X1.5
Gasket Type : Square

CONT : 25
VOL : 0.052

Note : Truck foton 3800cc, model 1039

FC-7903 Fuel Filter Secondary Spin-On High Efficiency

J.C.BAMFORD 02/910155
CUMMINS 3903640
CUMMINS 3931063




H 1 : 115 (mm)
OD 1 : 76 (mm)
Thread Size : M16X1.5-6H
Gasket Type : Square

CONT : 25
VOL : 0.023

C-6204 Oil Filter Full Flow Spin-On

MERCEDES-BENZ 001 184 96 01
DEUTZ 1173430
CATERPILLAR 5W-6017
ALLIS CHALMERS 61671600
EVOBUS 7.119.226.04




H 1 : 206 (mm)
OD 1 : 93 (mm)
Thread Size : 1-12 UNF-2B
BPV (kg/cm2) : 2.0 - 2.5
ADBV : YES
Gasket Type : Square

CONT : 25
VOL : 0.057

Note : With Grip

FC-45010 Fuel Filter Spin-On

NEW HOLLAND (CNH) 87803197
CASE 87803200




H 1 : 180 (mm)
OD 1 : 93 (mm)
Thread Size : M20X1.5-6H
Gasket Type : Square

CONT : 12
VOL : 0.025

FS-5701 Fuel Filter Metal body In-Line

CUMMINS 3826094
NEW HOLLAND (CNH) 86597473



H 1 : 96 (mm)
OD 1 : 44.5 (mm)
Inlet : 10 (mm)
Outlet : 10 (mm)

CONT : 12
VOL : 0.005

SF-73020

Fuel/Water Separator Metal End Cap Element

DETROIT DIESEL A0000905051



H 1 : 229.5 (mm)
 H 2 : 190 (mm)
 OD 1 : 153.5 (mm)
 OD 2 : 148 (mm)
 ID 1 : 26 (mm)

CONT : 6
 VOL : 0.057

31

SFC-38090-10

Fuel/Water Separator Spin-On 10 Micron

FOTON H4110210901A0



H 1 : 229.5 (mm)
 OD 1 : 108 (mm)
 Thread Size : 1-14 UNS-2B
 Thread Size : M80X3.0
 Gasket Type : Square

CONT : 12
 VOL : 0.000

Note : For Foton Auman est

32

SFC-5706

Fuel/Water Separator Spin-On

J.C.BAMFORD 02/910150
 J.C.BAMFORD 02/910150A
 HYUNDAI 11E1-70210
 CUMMINS 3935274
 LIUGONG 53C0051



H 1 : 134 (mm)
 OD 1 : 93 (mm)
 Thread Size : 13/16-18 UNS-2B
 Thread Nut Size : M14X2
 Gasket Type : Square

CONT : 12
 VOL : 0.021

33

SFC-5708

Fuel/Water Separator Spin-On

CUMMINS 3286503
 CUMMINS 3843760
 CUMMINS 3903202



H 1 : 140 (mm)
 OD 1 : 76 (mm)
 Thread Size : M16X1.5-6H

CONT : 25
 VOL : 0.033

34

WC-5705

Coolant Filter Spin-On

CUMMINS 299080
 CUMMINS 3100304
 CUMMINS 3305367



H 1 : 100 (mm)
 OD 1 : 93 (mm)
 Thread Size : 11/16-16 UNF-2B
 Gasket Type : Square

CONT : 12
 VOL : 0.018

Note : Coolants 4 units

35